

--	--	--	--	--	--	--	--



Online 5.0.1-1
OxOffice OxOffice-10.1.0-1
■■■■■

- # OxOffice Online v4

Online 4.2.1-1
OxOffice OxOffice-9.7.11-1
■■■■■

1. 漏洞 POCO 漏洞
2. 漏洞
3. 漏洞 IPv4 漏洞 IPv6 漏洞
4. 漏洞 HTTP 漏洞
5. 漏洞 HTTP 漏洞 1.1
6. 漏洞

• 2023-07-04

Online 4.2.0-1

OxOffice OxOffice-9.7.11-1

漏洞

1. 漏洞 OxOffice Online 漏洞 CSV 漏洞
2. 漏洞 -Djava.class.path 漏洞
3. 漏洞 curl 漏洞 8.0.1
4. 漏洞 encodeForXml
5. 漏洞 Online 漏洞
6. 漏洞 Online 漏洞
7. 漏洞 iframe 漏洞 Referer
8. 漏洞
9. 漏洞 iframe 漏洞 /漏洞

• 2023-04-13

Online 4.2.0-1

OxOffice OxOffice-9.7.8-1

漏洞

1. 漏洞
2. 漏洞
3. 漏洞
4. 漏洞 LibreOffice 7.2 漏洞 backport 漏洞 Online 漏洞 patch
5. 漏洞 QR code 漏洞
6. 漏洞 Writer 漏洞
7. 漏洞
8. 漏洞 QR code 漏洞

• 2022-12-27

Online 4.1.0-1

OxOffice OxOffice-9.7.6-1

漏洞

1. 漏洞
2. 漏洞
3. 漏洞

4. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
5. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
6. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
7. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
8. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
9. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)
10. [\[PDF\] LibreOffice 7.2](#) [backport](#) [Online](#) [patch](#)

• 2022-08-22

Online [4.0.1-1](#)
 OxOffice [OxOffice-9.7.1-1](#)
[\[PDF\]](#)

1. [\[PDF\]](#) [Online](#) [4.X](#) [OxOffice](#) [9.X](#) [Ubuntu 20.04](#) [RHEL 7](#)
[8](#) [\[PDF\]](#)

OxOffice Online v3

• 2021-10-28

Online [3.2.17-1](#)
 OxOffice [OxOfficeR8-8.5.18-1](#)
[\[PDF\]](#)

1. [\[PDF\]](#) [Calc](#) [PDF](#) [\[PDF\]](#)
2. [\[PDF\]](#) [Calc](#) [\[PDF\]](#)
3. [\[PDF\]](#) [Calc](#) [SC_SINGLE_AUTOFILTER](#) [\[PDF\]](#)

• 2021-07-28

Online [3.2.17-1](#)
 OxOffice [OxOfficeR8-8.5.15-1](#)
[\[PDF\]](#)

1. [\[PDF\]](#) [Calc](#) [\[PDF\]](#)
2. [\[PDF\]](#) [OxOOL](#) [PDF](#) [\[PDF\]](#)
3. [\[PDF\]](#) [Writer](#) [→](#) [\[PDF\]](#)
4. [\[PDF\]](#) [Calc](#) [\[PDF\]](#)

• 2021-06-30

Online [3.2.17-1](#)
 OxOffice [OxOfficeR8-8.5.11-1](#)
[\[PDF\]](#)

1. [jQuery](#) [jQuery](#)
2. [Impress](#) [Impress](#)
3. [jQuery](#) [jQuery](#) scroll bar [jQuery](#)
4. [jQuery](#)
5. [jQuery](#) [LOK_CALLBACK_MSGBOX](#) [jQuery](#)
6. [CentOS](#) [CentOS](#) sudo [CentOS](#)
7. [jQuery](#) [jQuery](#)
8. [jQuery](#) [PDF](#) [jQuery](#)
9. [jQuery](#) [jQuery](#) uno [jQuery](#)
10. [jQuery](#) [jQuery](#)
11. [jQuery](#) [jQuery](#) uno [jQuery](#)
12. [jQuery](#) [jQuery](#)
13. [jQuery](#) [jQuery](#) Kit [jQuery](#) Online [jQuery](#) CPU
14. [jQuery](#) [jQuery](#) [PDF](#) [jQuery](#)
15. [jQuery](#) [jQuery](#) [Writer](#) [jQuery](#)
16. [jQuery](#) [jQuery](#) Online [jQuery](#) PNG [jQuery](#)
17. [jQuery](#) [jQuery](#) [Calc](#) [jQuery](#)

• 2021-05-31

Online [3.2.16-1](#)
 OxOffice [OxOfficeR8-8.5.7-1](#)
[jQuery](#)

1. [jQuery](#) [jQuery](#) [LOK_CALLBACK_MSGBOX](#) [jQuery](#)
2. [jQuery](#) [jQuery](#) autofilter [jQuery](#)
3. [jQuery](#) [jQuery](#) core [jQuery](#) gnome-integration [jQuery](#)
4. [jQuery](#) [jQuery](#)
5. [jQuery](#) [jQuery](#) [Ubuntu](#) [jQuery](#)

• 2021-04-22

Online [3.2.16-1](#)
 OxOffice [OxOfficeR8-8.5.5-1](#)
[jQuery](#)

1. [jQuery](#) [jQuery](#) [Python 3](#)
2. [jQuery](#) [jQuery](#) [Ubuntu](#) [jQuery](#)
3. [jQuery](#) [jQuery](#)
4. [Calc](#) [jQuery](#) action id: 'sethyperlink' [jQuery](#)
5. [Calc](#) [jQuery](#) invalidatecursor [jQuery](#)
6. [jQuery](#) [jQuery](#)
7. [jQuery](#) [jQuery](#) [iPad](#) [jQuery](#)
8. [OxOffice](#) [OxOffice](#)
9. [TileLayer.js](#) [jQuery](#)




















10. `tab`
11. Calc
12. Impress
13. Calc
14. Calc
15. HTTP 403
16. Calc Writer Impress
17. Calc
18. jQuery 2.2.4 3.5.1
19. `<div id="document-container">`
20. Impress
21. Impress uno ResetAttributes
22. Writer UTC
- 23.
- 24.
25. Calc Online
26. libgd libxpm

• 2021-03-02

Online 3.2.15-1

OxOffice OxOfficeR8-8.5.4-1

1. Impress Online
2. `sendUnoCommand`
3. `verticaltext`
4. OxOOL Server client
5. Toolbar.js: `L.dialog.run` dialog
6. Actions.js
- 7.
8. wsd: forbid access_token to connect by pasting URL.
9. If `getItemProperty()` cannot find the status of the uno command, it returns an empty object.
10. Toolbar.js: Added export format list and read function `getExportFormats()`
11. dockerfile
12. Add missing button icon in `jquery.mCustomScrollbar`.
13. Impress
14. calc: When changing the cell position, the cursor is not required to be displayed.
15. toolbar.js: Change the ID of the toolbar clear format button to reset attributes' to reflect the button status.
16. toolbar.js: The clear format commands of impress and writer and calc are different and need to be handled separately
17. impress: Mandatory setting of the width of the slide-sorter to avoid overlapping of the scroll axis and the preview image.








18. calc: Fix the cursor movement algorithm of selected cell text to avoid the cursor disappearing problem.
19. calc: hide the vertical scroll of worksheet labels.
20. calc: rewrite the worksheet label column handler.
21. impress  -
22. writer 
23.   uno command OxSaveGraphic,OxChangePicture
24.  
25.   xlsx  "resize_shape_to_fix_text"
26.   Microsoft Excel  Calc  TextImportCsvDialog
27.   urw 
28.   uno command OxProtect

• 2021-01-12

Online  oxool-3.2.14-1

OxOffice  OxOfficeR8-8.5.3-2



1. impress: Change the icon and display position of the mouse effect and the special effect.
2. jquery-contextmenu upgrade to 2.9.2.
3. Toolbar.js has two amendments
 - getUnoCommandIcon() prioritizes whether the command is a resource Icon.
 - getDocumentStatus() delays 50 milliseconds before sending the status command.
4. Actions.js added ShowSlide, HideSlide.
5. toolbar.js: After setting the transition animation, update the document status.
6. Change the Traditional Chinese translation -  →
 - 
7. Add poco dependency.
8.  status code 
9. 20201211 
10. calc: When editing in mobile mode, let the water drop indicator appear.
11. mobile-readonly: enable search & change the ui.
12. Added prompt icon for Dialog.
13. Control.Dialogs.js: Enhance the function of dynamically loading external Dialog.
 - In addition to loading with map.fire('executeDialog', {dialog:'xxxxxx'}), you can also use L.dialog.run('xxxxxx', {...});
 - Added three preset Dialogs: L.dialog.confirm, L.dialog.alert, L.dialog.prompt, and can have prompt icons. For a simple dialog, there is no need to load an external hand-carved dialog.
14. TileLayer.js: If the image is scaled or rotated, remove the cache svg data.
15. L.dialog.prompt(): add password attribute.
16. Bug fix.
 - Perform the archive action, and the message "Archiving..." will always be displayed.
 - Click the Close File button. If the file has been modified, the error message will be displayed, but the window will not be closed.
 - Modify the check icon before the right-click icon, which can be changed dynamically.
17. Writer: Fixed the problem that menuitem zoomed in and out was disabled.

18. Fixed a typing error in the "Hidden Worksheet" code.
19. Update Traditional Chinese Translation.
20. Fixed an issue where the virtual keyboard of the handheld device would cover up the editing cursor.
21. Fix the problem that the file password cannot be opened if it contains blank characters.
22. File modification time is hidden by default.
23. After the menubar is initialized, the modification time and file name will be displayed.
24. Add new icon.(deletecell.svg)
25. impress: ☐ ☐ SelectedFrame
☐ SelectedFrame ☐
26. calc: ☐ ☐ SelectedTab ☐ Tabs
☐ SelectedTab ☐
27. Fix core javascripts.
28. Add http status code 499:
29. Re-open .uno:EditShapeHyperlink (Edit Hyperlink)
30. ☐]Revert "o[writer]: InsertGraphic anchor default use FLY_AS_CHAR"
31. ☐]sd: renameSlide & assignLayout ☐
32. ☐]sd: ☐ changeSlideExclusionState(bool) ☐
33. ☐]o[deb]: deb packages add Section,Priority info
34. ☐]o[uno]: add uno command OxSaveGraphic,OxChangePicture for test
☐]Revert "o[calc]: Fixed xlsx add sheets issue crash"
35. ☐]sc: ☐ ☐ Online
☐
36. ☐]temporarily fixed Fixed xlsx add sheets issue crash

• 2020-12-11

Online ☐ oxool-3.2.13-1
 OxOffice ☐ OxOfficeR8-8.5.1-2
☐

1. log ☐
2. Grant oxool the cap_dac_override permission.
3. Set the backup log file name suffix time to be the same as the local machine time.
4. Fixed the problem that the function map.forceCellCommit() cannot be used repeatedly
5. set png compress level to 4
6. [docker] add dockerfile to build container
7. [docker] install oxool from yum repo
8. calc: Fix the problem of incorrect scrolling and clicking when the number of worksheets exceeds the screen area.
9. View mode and output is not prohibited to display download as XXX and print button.
10. ☐

☐
☐ -> ☐
☐ UI_Close ☐ WPOI HOST ☐

Diagram illustrating the state of the WPOI HOST after a successful WPOI read:

- The WPOI HOST is now 0x00000000.
- The UI_Close flag is set.
- The WPOI HOST is now 0x00000000.
- The WPOI HOST is now 0x00000000.

1. `map.closeDocument()`
2. `OxOffice Dialog`
3. Add calc worksheet and impress detail information, need patch OxOffice.
4. Added `map.getDocumentStatus()` to enable OxOOL to retrieve the document status.
5. `this._map.CallPythonScriptSource`
6. `impress`
7. `Socket.js parseServerCmd` adds partdetail conversion.
8. Modify calc and impress related css style.
9. `calc` `impress`
10. impress can show whether there is transition animation, mouse animation and whether it is hidden.
11. Fix the problem of parser error caused by worksheet protection icon.
12. Rewrite right-click menu to avoid using `<a>` tag to prevent the browser from displaying strange links.
13. `Parts.js` added `map.getPartProperty([part])` function.
14. `partsInfo` does not need to be exported to the outside.
15. `Control.PartPreview.js` obtains detailed properties of slides through a unified method.
16. Fixed the problem that when the dialog generated by OxOffice exceeds the height of the screen, the screen will be rolled back when clicking the bottom.
17. Correct the size of some icons.
18. `Preview.js`: Move the close button to the right and change the icon to X. Click the file icon to display the about window.
19. Before closing the editor, if it is not wrapped in a frame, close it directly.
20. Corrected some icons.
21. Fix the problem of load exception if there is a '%' symbol in the user name.
22. calc: Editing the hyperlink will cause the picture not to be selected, temporarily closed.
23. Fix the related CSS styles on the left side of impress.
24. impress: Improve the appearance of the vertical scroll bar in the preview on the left.
25. impress: Change the icon and display position of the mouse effect and the special effect.
26. `jquery-contextmenu` upgrade to 2.9.2
27. impress: Add layout icon.
28. `Toolbar.js` has two amendments:
 - `getUnoCommandIcon()` prioritizes whether the command is a resource Icon.
 - `getDocumentStatus()` delays 50 milliseconds before sending the status command.
29. Change the Traditional Chinese translation:
 - `map.closeDocument()` - `關閉文件` → `關閉` - `關閉文件`
30. Add poco dependency
31. `Fixed xlsx add sheets issue crash?`
32. `Libreoffice 6.3.6`
33. `calc`: `getPartInfo`
34. `impress`: `getPartInfo`

35. [] [writer]: InsertGraphic anchor default use FLY_AS_CHAR

- 2020-11-04

Online ☐ oxool-3.2.12-1

OxOffice OxOfficeR8-8.4.4-2

--	--	--	--	--	--	--

1. Need to wait for the SVG download of the graph to be completed before dragging.
2. Ioleaflet: put the selected picture into the cache
3. `XXXXXXXXXXXX`
4. `[PDF]o[pdf][m1290]`: disabled Common.xcs DisplayPDFDocumentTitle
5. `[PDF]calc: XXXXX` uno commands
 - `.uno:AutoAverage(XXX)`
 - `.uno:AutoMin(XXX)`
 - `.uno:AutoMax(XXX)`
 - `.uno:AutoCount(XX)`
6. `[PDF]XXXX` svg `XXX` extraInfo `XXXX` hash code
7. `[PDF]XXXXX` CALLBACK `XXXXXXXXXXXX`
`LOK_CALLBACK_GRAPHIC_SELECTION XXXXXXXX`
`LOK_CALLBACK_GRAPHIC_VIEW_SELECTIONXXXX` `_onGraphicViewSelectionMsg XX`
`JSON XXXXXXX` `LOK_CALLBACK_GRAPHIC_VIEW_SELECTION XX` ExtraInfo






- **2020-10-14**

Online ☐ oxool-3.2.11-1

OxOffice□ OxOfficeR8-8.4.3-3

--	--	--	--	--	--	--

- WopiInfo sent to Client adds a new DocumentOwner field.
- Editing in ODF format can only be executed by the file owner, and others can only open it in read-only format.
- api (/hosting/version) lool lokiit
- getVersionInfo with parameter "branch"
- Add build require package to dependency script
- Update debian install script
- The following API addresses are displayed on the console side.
 - /hosting/version
 - /hosting/capabilities
 - /hosting/discovery
- Change the new fontconfig settings.
- calc: Zoomout extends from 100% to 60% minimum.
- Rewrite the new oxool fonts config.
- Avoid missing characters caused by installing oxool & ndcodfweb at the same time.
- calc: After the "Set Percentage" button in the toolbar, add a "Set Number" button.
- Remove signed document option.
- Add files that git does not need to track.






























15. 
 -  -> 
 -  -> 
16. calc: Intercept the input method activation event when inputting in the formula column
17. Remove the upper limit of oxool open file and use cpu
18. Fix name format.
19. Simplify the downloadas process.
20. calc: Spreadsheet preview zoom can be from 60%~200%.
21. calc: If the open document is a spreadsheet, set the zoom to a minimum of 60%.
22. calc: Solve the problem that the spreadsheet file cannot be zoomed in touch mode.
23. Change the vertical center alignment icon.
24. toolbar: Add and modify toolbar buttons
25. Added four icons for text direction and text box css style.
26. No need to put the font path that comes with OxOffice in the system

• 2020-09-10

Online  oxool-3.2.10-1

OxOffice  OxOfficeR8-8.4.3-3



1. Update ubuntu installation script.
2. Upgrade bootstrap to version 3.4.1.
3. oxoolwsd: Introduce freetype and fontconfig to assist background font management.
4. Add font management.
5. Fixed the problem that the last edited data of the spreadsheet file was not archived.
6. admin: Return the font json to the client, change boolean to string.
7. fontconfig dependent version down to 2.12.6.
8. Fixed WOPI fileinfo not receiving UserExtraInfo and causing JSON Exception.
9. Add the font path of OxOffice to the fontconfig of the system.
10.   [impress][svg]:  add lost bullet char-define: ►
11.   [impress][svg]:  also parse Placeholder.
12.   [impress][svg]:  parse Placeholder use aOOOAttrDateTimeField 
13.   [impress][svg]:  svg  BulletCharElem Id 
14.   [fonts]:  update SourceHanSans font use filetype ttc
15.   LoKit: 
16.   LoKit:  PDF 
17.   [fonts]:  SoureHanSans-fonts to 644 

• 2020-08-02

Online  oxool-3.2.9-1

OxOffice  OxOfficeR8-8.4.2-1



1. Put WOPI UserExtraInfo in Wopi info and pass it to Client.

2. □ Preview.js □□□□□□□□
3. Added goto page button.
4. Added "Edit in ODF" function.
5. The menu is not displayed in non-edit mode or mobile phone mode.
6. Added Traditional Chinese translation of "Edit in ODF format".
7. Fix close button disappeared after folding.
8. Writer: According to the editing mode, decide whether to display the ruler.
9. Change close button icon.
10. Remove duplicate file.
11. admin: If there is no set value, replace it with the default value.
12. Add font directory and settings managed by oxool.
13. □□□□□□□□
14. SDK: Implement oxool module SDK.
15. Remove the include_header in oxool debian package.

• 2020-06-28

Online□ oxool-3.2.8-1

OxOffice□ OxOfficeR8-8.4.2-1

□□□□□□

1. Fix _lastmodtime will appear undefined
2. Added spectrum-colorpicker2 package
3. Update extensions, add binding line macros
4. Fix the problem that the runmacro parameter blank is cut off.
5. Added menubar item id to specify 'macro:///'
6. Writer: Added inserting gutter function. (□□□ □)
7. Added traditional Chinese translation related to gutter. (□□□ □)
8. Fix sign compare issue.
9. Encode with encodeURI before executing the macro to avoid blank spaces being cut off.
10. Add OSSII official website address.
11. Add 'hasTemplateSaveAs' and 'hasTemplateSource' To capabilities.
12. Add print or download PDF Add watermark mechanism.

• 2020-06-02

Online□ oxool-3.2.7-1

OxOffice□ OxOfficeR8-8.4.2-1

□□□□□□

1. add missing #include <list>
2. wsd: fix crash with read-only documents + uno command without param
3. admin console: fix handling of out of range kill parameter
4. admin: cleanup sent/recvd accounting - and initialize the totals.
5. □□ OxOffice banner □□




6. `██████████`
7. Added the function of intercepting shortcut keys.
8. impress: Added projection function from the current page (Shift + F5)
9. Fix impress view mode download pptx is mistakenly planted as xlsx.
10. If the PDF watermark is not specified, it does not need to be added in filterOptions.
11. Remove the timeago package and related code.
12. Added Traditional Chinese translation related to the most recent modification time.
13. `██` impress svg `███` script`██████████████████████████████████████`

- **2020-04-08**

Online ☐ oxool-3.2.6-1

OxOffice OxOfficeR8-8.4.1-2

--	--	--	--	--	--	--

1. close button instead default to invisible.
2. writer: Only need to display ruler when changing to edit mode.
3. Rewrite ./configure parameter.
4. Merge branch 'master' of <https://github.com/OSSII/oxool-community>.
5.  debian 
 - Use pip to install polib
 - Use nvm to setup node & npm
6. 
7. Add net-tools for development purpose.
8. use original auto_configure.
9. Update Ubuntu-18.04 build instruction.
10. Fix some typo in README.md
11. Add one more dependency for building.
12. Add dependencies to oxool.
13. Add ossii logo file and css style.
14. Merge pull request #6 from fweng322/master. Fix README.md and add debian repository support.
15. Add ./autogen.sh for configure step.
16. New toolbar for viewing or read-only mode.
17. Add travis.yml for building 18.04(bionic) deb.
18. Convert SVG format to PNG format.
19. Update css style files.
20. Add keyboard shortcut dialog.
21. Centralize commonly used functions to avoid duplication of design.
22. Change 'basicshapes_ellips' to 'insertdraw'.
23. Enhanced UNO command execution mechanism.
24. Remove unnecessary image files.
25. writer: Mobile mode can also scroll.
26. toolbar: Use new action mechanism.
27. New view and readonly mode.
28. Only edit mode is required to display the toolbar and close button.

29. If the content changes, the save button must be enabled.
30. Change app name to OxOffice Online.
31. Fix the input problem in the spreadsheet cell.

• 2020-03-27

Online□ oxool-3.2.5-1

OxOffice□ OxOfficeR8-8.4.1-2

□□□□□□

1. calc: □□ readonly □□□□ document-container □□□□
2. □□ toolbar □□□□□□ edit □□□□□□□□
3. Add files that git must ignore.
4. menubar fixed:
 - Distinguish between view mode and readonly mode.
 - Don't send automatic report without uno command.
5. Always display the file icon.
6. Remove unwanted files: dist_git_hash.

• 2020-03-19

Online□ oxool-3.2.4-1

OxOffice□ OxOfficeR8-8.4.1-2

□□□□□□

1. □□□□

Revision #28

Created 12 May 2020 10:00:17 by kevin

Updated 20 January 2025 08:19:17 by Jeff Huang