

--	--	--	--	--	--	--	--



Online 4.2.1-1  
OxOffice OxOfficeR8-9.7.11-1  
■■■■■■■

- Online 4.2.0-1  
OxOffice OxOfficeR8-9.7.11-1  
■■■■■■■

1. [ ] [ ] OxOffice Online [ ] CSV [ ]
2. [ ] [ ] -Djava.class.path [ ]
3. [ ] [ ] curl [ ] 8.0.1
4. [ ] [ ] encodeForXml
5. [ ] [ ] Online [ ]
6. [ ] [ ] Online [ ]
7. [ ] [ ] iframe [ ] Referer

8. [ ] [ ]
9. [ ] [ ] iframe [ ] [ ] / [ ]

#### • 2023-04-13

Online 4.2.0-1  
OxOffice OxOfficeR8-9.7.8-1  
[ ]

1. [ ]
2. [ ]
3. [ ]
4. [ ] [ ] LibreOffice 7.2 [ ] backport [ ] Online [ ] patch
5. [ ] [ ] QR code [ ]
6. [ ] [ ] Writer [ ]
7. [ ] [ ]
8. [ ] [ ] QR code [ ]

#### • 2022-12-27

Online 4.1.0-1  
OxOffice OxOfficeR8-9.7.6-1  
[ ]

1. [ ]
2. [ ]
3. [ ]
4. [ ]
5. [ ] [ ] LibreOffice 7.2 [ ] backport [ ] Online [ ] patch
6. [ ] [ ]
7. [ ] [ ]
8. [ ] [ ] Online [ ]
9. [ ] [ ] QR Code [ ]
10. [ ] [ ] QR code [ ] python [ ]

#### • 2022-08-22

Online 4.0.1-1  
OxOffice OxOfficeR8-9.7.1-1  
[ ]

1. [ ] Online [ ] 4.X OxOffice [ ] 9.X [ ] Ubuntu 20.04 [ ] RHEL 7 [ ] 8 [ ]

#### • 2021-10-28

Online 3.2.17-1

OxOffice□ OxOfficeR8-8.5.18-1

--	--	--	--	--	--	--

1. [ ] PDF
2. [ ] Calc
3. [ ] Calc SC\_SINGLE\_AUTOFILTER

- **2021-07-28**

Online 3.2.17-1

OxOffice OxOfficeR8-8.5.15-1

--	--	--	--	--	--	--







































1. [ ] [ ] Calc [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
2. [ ] [ ] OxOOL [ ] [ ] [ ] [ ] [ ] PDF [ ] [ ]
3. [ ] [ ] Writer [ ] [ ] → [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
4. [ ] [ ] Calc [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

- **2021-06-30**

Online 3.2.17-1

OxOffice□ OxOfficeR8-8.5.11-1

--	--	--	--	--	--	--

1.  jQuery 
2. Impress
3.  scroll bar 
4. 
5.  LOK\_CALLBACK\_MSGBOX 
6.  CentOS  sudo 
7. 
8.  PDF 
9.  uno 
10. 
11.  uno 
12. 
13.   Kit  Online  CPU  

14.   PDF 
15.   Writer 
16.   Online  PNG 
17.   Calc 

- **2021-05-31**

Online 3.2.16-1

OxOffice OxOfficeR8-8.5.7-1

--	--	--	--	--	--	--

1. [ ] [ ] LOK\_CALLBACK\_MSGBOX [ ]
2. [ ] [ ] autofilter [ ]
3. [ ] [ ] core [ ] gnome-integration [ ]
4. [ ] [ ]
5. [ ] [ ] Ubuntu [ ]

- **2021-04-22**

Online 3.2.16-1

OxOffice OxOfficeR8-8.5.5-1

--	--	--	--	--	--	--

1. Python 3
2. Ubuntu
- 3.
4. Calc action id: 'sethyperlink'
5. Calc invalidatecursor
- 6.
7. iPad
8. OxOffice
9. TileLayer.js
10. tab
11. Calc
12. Impress
13. Calc
14. Calc
15. HTTP 403
16. Calc Writer Impress
17. Calc
18. jQuery 2.2.4 3.5.1
19. <div id="document-container">
20. Impress
21. Impress uno ResetAttributes
22. Writer UTC
- 23.
- 24.
25. Calc Online
26. libgd libxpm

- **2021-03-02**

Online 3.2.15-1

OxOffice OxOfficeR8-8.5.4-1

■■■■■

1. ■■ Impress Online ■■■■■■■■■■
2. ■ sendUnoCommand ■■■■■■
3. ■■ verticaltext ■■■■■■
4. OxOOL Server ■■■■ client ■■■■■■
5. Toolbar.js: ■■ L.dialog.run ■■ dialog
6. ■■■■ Actions.js
7. ■■■■■■
8. wsd: forbid access\_token to connect by pasting URL.
9. If getItemProperty() cannot find the status of the uno command, it returns an empty object.
10. Toolbar.js: Added export format list and read function getExportFormats()
11. ■■ dockerfile
12. Add missing button icon in jquery.mCustomScrollbar.
13. ■■ Impress ■■■■■■
14. calc: When changing the cell position, the cursor is not required to be displayed.
15. toolbar.js: Change the ID of the toolbar clear format button to reset attributes' to reflect the button status.
16. toolbar.js: The clear format commands of impress and writer and calc are different and need to be handled separately
17. impress: Mandatory setting of the width of the slide-sorter to avoid overlapping of the scroll axis and the preview image.
18. calc: Fix the cursor movement algorithm of selected cell text to avoid the cursor disappearing problem.
19. calc: hide the vertical scroll of worksheet labels.
20. calc: rewrite the worksheet label column handler.
21. impress ■■■■ -■■■■■■■■■■
22. writer ■■■■■■■■
23. [■■ ]■■■ uno command OxSaveGraphic,OxChangePicture
24. [■■ ]■■■■■
25. [■■ ]■■■ xlsx ■■■■■■■■ "resize\_shape\_to\_fix\_text"
26. [■■ ]■■ Microsoft Excel ■■■■ Calc ■■■ TextImportCsvDialog
27. [■■ ]■■■ urw ■■■■■■■■■■
28. [■■ ]■■■ uno command OxProtect

## • 2021-01-12

Online oxool-3.2.14-1

OxOffice OxOfficeR8-8.5.3-2

■■■■■

1. impress: Change the icon and display position of the mouse effect and the special effect.
2. jquery-contextmenu upgrade to 2.9.2.

3. Toolbar.js has two amendments
  - getUnoCommandIcon() prioritizes whether the command is a resource Icon.
  - getDocumentStatus() delays 50 milliseconds before sending the status command.
4. Actions.js added ShowSlide, HideSlide.
5. toolbar.js: After setting the transition animation, update the document status.
6. Change the Traditional Chinese translation [ ] - [ ] → [ ] - [ ]
7. Add poco dependency.
8. [ ] status code [ ]
9. 20201211 [ ]
10. calc: When editing in mobile mode, let the water drop indicator appear.
11. mobile-readonly: enable search & change the ui.
12. Added prompt icon for Dialog.
13. Control.Dialogs.js: Enhance the function of dynamically loading external Dialog.
  - In addition to loading with map.fire('executeDialog', {dialog:'xxxxx'}), you can also use L.dialog.run('xxxxx', {.....});
  - Added three preset Dialogs: L.dialog.confirm, L.dialog.alert, L.dialog.prompt, and can have prompt icons. For a simple dialog, there is no need to load an external hand-carved dialog.
14. TileLayer.js: If the image is scaled or rotated, remove the cache svg data.
15. L.dialog.prompt(): add password attribute.
16. Bug fix.
  - Perform the archive action, and the message "Archiving..." will always be displayed.
  - Click the Close File button. If the file has been modified, the error message will be displayed, but the window will not be closed.
  - Modify the check icon before the right-click icon, which can be changed dynamically.
17. Writer: Fixed the problem that menuitem zoomed in and out was disabled.
18. Fixed a typing error in the "Hidden Worksheet" code.
19. Update Traditional Chinese Translation.
20. Fixed an issue where the virtual keyboard of the handheld device would cover up the editing cursor.
21. Fix the problem that the file password cannot be opened if it contains blank characters.
22. File modification time is hidden by default.
23. After the menubar is initialized, the modification time and file name will be displayed.
24. Add new icon.(deletecell.svg)
25. impress: [ ] SelectedFrame [ ]  
[ ] SelectedFrame [ ]
26. calc: [ ] [ ] SelectedTab [ ] Tabs  
[ ] SelectedTab [ ]
27. Fix core javascripts.
28. Add http status code 499:
29. Re-open .uno:EditShapeHyperlink (Edit Hyperlink)
30. [ ] ]Revert "o[writer]: InsertGraphic anchor default use FLY\_AS\_CHAR"
31. [ ] ]sd: renameSlide & assignLayout [ ]
32. [ ] ]sd: [ ] changeSlideExclusionState(bool) [ ]
33. [ ] ]o[deb]: deb packages add Section,Priority info
34. [ ] ]o[uno]: add uno command OxSaveGraphic,OxChangePicture for test  
[ ] ]Revert "o[calc]: Fixed xlsx add sheets issue crash"



15. Control.PartPreview.js obtains detailed properties of slides through a unified method.
16. Fixed the problem that when the dialog generated by OxOffice exceeds the height of the screen, the screen will be rolled back when clicking the bottom.
17. Correct the size of some icons.
18. Preview.js: Move the close button to the right and change the icon to X. Click the file icon to display the about window.
19. Before closing the editor, if it is not wrapped in a frame, close it directly.
20. Corrected some icons.
21. Fix the problem of load exception if there is a '%' symbol in the user name.
22. calc: Editing the hyperlink will cause the picture not to be selected, temporarily closed.
23. Fix the related CSS styles on the left side of impress.
24. impress: Improve the appearance of the vertical scroll bar in the preview on the left.
25. impress: Change the icon and display position of the mouse effect and the special effect.
26. jquery-contextmenu upgrade to 2.9.2
27. impress: Add layout icon.
28. Toolbar.js has two amendments:
  - getUnoCommandIcon() prioritizes whether the command is a resource Icon.
  - getDocumentStatus() delays 50 milliseconds before sending the status command.
29. Change the Traditional Chinese translation:
  - 圖形圖標 - 圖形圖標圖標 → 圖形圖標 - 圖形圖標
30. Add poco dependency
31. [ ] Fixed xlsx add sheets issue crash?
32. [ ] 圖形圖標 Libreoffice 6.3.6
33. [ ] calc: [ ] getPartInfo[ ]
34. [ ] impress: [ ] getPartInfo[ ]
35. [ ] [[writer]: InsertGraphic anchor default use FLY\_AS\_CHAR

## • 2020-11-04

Online oxool-3.2.12-1

OxOffice OxOfficeR8-8.4.4-2

圖形圖標

1. Need to wait for the SVG download of the graph to be completed before dragging.
2. loleaflet: put the selected picture into the cache
3. 圖形圖標圖標圖標
4. [ ] o[pdf][m1290]: disabled Common.xcs DisplayPDFDocumentTitle
5. [ ] calc: [ ] uno commands
  - .uno:AutoAverage([ ] )
  - .uno:AutoMin([ ] )
  - .uno:AutoMax([ ] )
  - .uno:AutoCount([ ] )
6. [ ] [ ] svg [ ] extraInfo [ ] hash code
7. [ ] [ ] CALLBACK [ ]
 

LOK\_CALLBACK\_GRAPHIC\_SELECTION [ ]

LOK\_CALLBACK\_GRAPHIC\_VIEW\_SELECTION [ ] \_onGraphicViewSelectionMsg [ ]

JSON



- **2020-10-14**

Online ☐ oxool-3.2.11-1

OxOffice OxOfficeR8-8.4.3-3

--	--	--	--	--	--	--

- WopiInfo sent to Client adds a new DocumentOwner field.
- Editing in ODF format can only be executed by the file owner, and others can only open it in read-only format.
- api (/hosting/version) lool lokiit
- getVersionInfo with parameter "branch"
- Add build require package to dependency script
- Update debian install script
- The following API addresses are displayed on the console side.
  - /hosting/version
  - /hosting/capabilities
  - /hosting/discovery
- Change the new fontconfig settings.
- calc: Zoomout extends from 100% to 60% minimum.
- Rewrite the new oxool fonts config.
- Avoid missing characters caused by installing oxool & ndcodfweb at the same time.
- calc: After the "Set Percentage" button in the toolbar, add a "Set Number" button.
- Remove signed document option.
- Add files that git does not need to track.
- >
  - >
- calc: Intercept the input method activation event when inputting in the formula column
- Remove the upper limit of oxool open file and use cpu
- Fix name format.
- Simplify the downloadas process.
- calc: Spreadsheet preview zoom can be from 60%~200%.
- calc: If the open document is a spreadsheet, set the zoom to a minimum of 60%.
- calc: Solve the problem that the spreadsheet file cannot be zoomed in touch mode.
- Change the vertical center alignment icon.
- toolbar: Add and modify toolbar buttons
- Added four icons for text direction and text box css style.
- No need to put the font path that comes with OxOffice in the system

- 2020-09-10

Online ☐ oxool-3.2.10-1

OxOffice□ OxOfficeR8-8.4.3-3

--	--	--	--	--	--	--

1. Update ubuntu installation script.
2. Upgrade bootstrap to version 3.4.1.
3. oxoolwsd: Introduce freetype and fontconfig to assist background font management.
4. Add font management.
5. Fixed the problem that the last edited data of the spreadsheet file was not archived.
6. admin: Return the font json to the client, change boolean to string.
7. fontconfig dependent version down to 2.12.6.
8. Fixed WOPI fileinfo not receiving UserExtraInfo and causing JSON Exception.
9. Add the font path of OxOffice to the fontconfig of the system.
10. [ ] [impress][svg]: [ ] add lost bullet char-define: ►
11. [ ] [impress][svg]: [ ] also parse Placeholder.
12. [ ] [impress][svg]: [ ] parse Placeholder use aOOOAttrDateTimeField
13. [ ] [impress][svg]: [ ] svg [ ] BulletCharElem Id
14. [ ] [fonts]: [ ] update SourceHanSans font use filetype ttc
15. [ ] [LoKit: [ ]
16. [ ] [LoKit: [ ] PDF [ ]
17. [ ] [fonts]: [ ] SoureHanSans-fonts to 644

## • 2020-08-02

Online oxool-3.2.9-1

OxOffice OxOfficeR8-8.4.2-1

[ ]

1. Put WOPI UserExtraInfo in Wopi info and pass it to Client.
2. [ ] Preview.js [ ]
3. Added goto page button.
4. Added "Edit in ODF" function.
5. The menu is not displayed in non-edit mode or mobile phone mode.
6. Added Traditional Chinese translation of "Edit in ODF format".
7. Fix close button disappeared after folding.
8. Writer: According to the editing mode, decide whether to display the ruler.
9. Change close button icon.
10. Remove duplicate file.
11. admin: If there is no set value, replace it with the default value.
12. Add font directory and settings managed by oxool.
13. [ ]
14. SDK: Implement oxool module SDK.
15. Remove the include\_header in oxool debian package.

## • 2020-06-28

Online oxool-3.2.8-1

OxOffice OxOfficeR8-8.4.2-1

[ ]

1. Fix \_lastmodtime will appear undefined
2. Added spectrum-colorpicker2 package
3. Update extensions, add binding line macros
4. Fix the problem that the runmacro parameter blank is cut off.
5. Added menubar item id to specify 'macro:///'
6. Writer: Added inserting gutter function. ( )
7. Added traditional Chinese translation related to gutter. ( )
8. Fix sign compare issue.
9. Encode with encodeURI before executing the macro to avoid blank spaces being cut off.
10. Add OSSII official website address.
11. Add 'hasTemplateSaveAs' and 'hasTemplateSource' To capabilities.
12. Add print or download PDF Add watermark mechanism.

## • 2020-06-02

Online oxool-3.2.7-1

OxOffice OxOfficeR8-8.4.2-1

1. add missing #include <list>
2. wsd: fix crash with read-only documents + uno command without param
3. admin console: fix handling of out of range kill parameter
4. admin: cleanup sent/recv accounting - and initialize the totals.
5. OxOffice banner
- 6.
7. Added the function of intercepting shortcut keys.
8. impress: Added projection function from the current page (Shift + F5)
9. Fix impress view mode download pptx is mistakenly planted as xlsx.
10. If the PDF watermark is not specified, it does not need to be added in filterOptions.
11. Remove the timeago package and related code.
12. Added Traditional Chinese translation related to the most recent modification time.
13. impress svg script

## • 2020-04-08

Online oxool-3.2.6-1

OxOffice OxOfficeR8-8.4.1-2

1. close button instead default to invisible.
  2. writer: Only need to display ruler when changing to edit mode.
  3. Rewrite ./configure parameter.
  4. Merge branch 'master' of <https://github.com/OSSII/oxool-community>.
  5. debian
- Use pip to install polib

- Use nvm to setup node & npm

6. [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
7. Add net-tools for development purpose.
8. use original auto\_configure.
9. Update Ubuntu-18.04 build instruction.
10. Fix some typo in README.md
11. Add one more dependency for building.
12. Add dependencies to oxool.
13. Add ossii logo file and css style.
14. Merge pull request #6 from fweng322/master. Fix README.md and add debian repository support.
15. Add ./autogen.sh for configure step.
16. New toolbar for viewing or read-only mode.
17. Add travis.yml for building 18.04(bionic) deb.
18. Convert SVG format to PNG format.
19. Update css style files.
20. Add keyboard shortcut dialog.
21. Centralize commonly used functions to avoid duplication of design.
22. Change 'basicshapes\_ellips' to 'insertdraw'.
23. Enhanced UNO command execution mechanism.
24. Remove unnecessary image files.
25. writer: Mobile mode can also scroll.
26. toolbar: Use new action mechanism.
27. New view and readonly mode.
28. Only edit mode is required to display the toolbar and close button.
29. If the content changes, the save button must be enabled.
30. Change app name to OxOffice Online.
31. Fix the input problem in the spreadsheet cell.

## • 2020-03-27

Online [ ] oxool-3.2.5-1

OxOffice [ ] OxOfficeR8-8.4.1-2

[ ] [ ] [ ] [ ] [ ] [ ]

1. calc: [ ] readonly [ ] [ ] document-container [ ] [ ] [ ]
2. [ ] toolbar [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] edit [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
3. Add files that git must ignore.
4. menubar fixed:
  - Distinguish between view mode and readonly mode.
  - Don't send automatic report without uno command.
5. Always display the file icon.
6. Remove unwanted files: dist\_git\_hash.

## • 2020-03-19

Online☐ oxool-3.2.4-1  
OxOffice☐ OxOfficeR8-8.4.1-2  
☐☐☐☐☐☐

- 1. ☐☐☐☐