

OxOffice Online

???????

XXXXXXXXXXXX

OxOffice Online (OxOOL) XXX

XXXXXX

Nextcloud XXXXXXX

Nextcloud XXXXXXX

<https://docs.ossii.com.tw/books/nextcloudXXXXXXXXXXXX>

- [CentOS 7 XXXXX \(XXX \)](#)
- [Ubuntu 18.04 XXXXX \(XXX \)](#)
- [CentOS 7 PVE LXC XXXXX \(XXX \)](#)
- [Ubuntu 18.04 PVE LXC XXXXX \(XXX \)](#)
- [CentOS 7 XXXXX OxOffice Online v4 XXX](#)
- [Rocky Linux 8 XXXXX OxOffice Online v4 XXX](#)
- [Ubuntu 20.04 XXXXX OxOffice Online v4 XXX](#)
- [PVE X LXC X CentOS 7 XXX OxOffice Online v4 XXX](#)
- [PVE X LXC X Rocky Linux 8 XXX OxOffice Online v4 XXX](#)
- [PVE X LXC X Ubuntu 20.04 XXX OxOffice Online v4 XXX](#)
- [Rocky Linux 8 XXXXX OxOffice Online v5 XXX](#)
- [Ubuntu 24.04 XXXXX OxOffice Online v5 XXX](#)

? CentOS 7 ??????(???)

- [CentOS 7 安裝](#) 2009 [Minimal](#) [Desktop](#) - [CentOS](#)
[\[1\]](#) [\[2\]](#) [\[3\]](#)

```
IP
```

- [root](#) [OxOOL Community](#)

```
yum update -y
yum install vim net-tools unzip wget -y
cd /etc/yum.repos.d
wget http://www.oxoffice.com.tw/yum.repo/oxool-community.repo
yum update -y
yum groupinstall "OxOOL Community Group" -y
```

- [SELinux](#)

```
vim /etc/selinux/config # vim
# SELinux=enforcing enforcing disabled permissive
```

- [firewalld](#) [9980 port](#)

```
firewall-cmd --zone=public --permanent --add-service=http
firewall-cmd --zone=public --permanent --add-port=9980/tcp
```

- [systemctl](#)

```
systemctl enable oxool
reboot
```

- [root](#) [OxOOL Community](#)

```
netstat -tlnp
```

[netstat](#)

```
tcp        0      0 127.0.0.1:9981 0.0.0.0:* LISTEN 644/oxool
tcp6       0      0 :::9980        :::* LISTEN 644/oxool
```

████████████████████

██████

Nextcloud ██████████

[Nextcloud 20](#) ██████

? Ubuntu 18.04 ??????(???)

- [] Ubuntu 18.04 [] 64 [] Server [] []_ [] Desktop [] 64 [] [1] [2]

[] IP [] [3]

- [] User [] OxOOL Community []

```
sudo apt update
sudo apt upgrade -y
sudo apt install vim openssh-server net-tools curl -y
# [ ] yes [ ]
```

```
curl http://www.oxoffice.com.tw/apt/ubuntu/oxool-deb.key | sudo apt-key add echo "deb
[arch=amd64] http://www.oxoffice.com.tw/apt/ubuntu/ oxool-v3 main" > ~/oxool.list sudo mv
~/oxool.list /etc/apt/sources.list.d/ sudo apt update sudo apt install oxool oxoffice* -y
```

- []

```
sudo systemctl enable oxool
sudo reboot
```

- [] OxOOL Community []

```
sudo netstat -tlnp
```

[]

Active Internet connections (only servers)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program
tcp	0	0	127.0.0.1:9981	0.0.0.0:*	LISTEN	22383/oxool
tcp	0	0	127.0.0.53:53	0.0.0.0:*	LISTEN	6523/systemd-resolv
tcp	0	0	0.0.0.0:22	0.0.0.0:*	LISTEN	4389/sshd
tcp	0	0	127.0.0.1:25	0.0.0.0:*	LISTEN	

2575/master

tcp6 0 0 :::9980 :::* LISTEN

22383/oxool

tcp6 0 0 :::22 :::* LISTEN

4389/sshd

tcp6 0 0 ::1:25 :::* LISTEN 2575/master

██████

ezgo ███ **Franklin** ███ ~

██████

Nextcloud ██████████

[Nextcloud 20](#) ████

建立: LXC 容器



一般

範本

啟始磁碟

CPU

記憶體

網路

DNS

確認

節點: pve1

資源集區:

CT ID: 105

密碼:

主機名稱: oxool-lxc-test

確認密碼:

無特權容器:

SSH 公開金鑰:

載入 SSH 金鑰檔案

? 說明

進階

返回

繼續

建立: LXC 容器



- 一般 範本 啟始磁碟 CPU 記憶體 網路 DNS **確認**

Key ↑	Value
cores	2
hostname	oxool-lxc-test
memory	2048
nameserver	8.8.8.8
net0	bridge=vibr0,name=eth0,ip=192.168.3.211/32,gw=192.168.3.1,firewall=1
nodename	pve1
ostemplate	local:vztmpl/centos-7-default_20190926_amd64.tar.xz
pool	
rootfs	OSSIIPVE1:8
searchdomain	8.8.8.8
swap	2048
vmid	105

建立完成後開機

進階 **返回** **完成**

Task viewer: CT 105 - 建立



輸出 狀態

停止

```
extracting archive '/var/lib/vz/template/cache/centos-7-default_20190926_amd64.tar.xz'
Total bytes read: 422809600 (404MiB, 55MiB/s)
Detected container architecture: amd64
Creating SSH host key 'ssh_host_ecdsa_key' - this may take some time ...
done: SHA256:v9clmA/kbCbgeoJG1XG0zkt2GEgD4jQjVT7kh0ik0A0 root@oxool-lxc-test
Creating SSH host key 'ssh_host_rsa_key' - this may take some time ...
done: SHA256:DrDj/hQMM9jr8I3Td721i0CRtpHcGt6WkOJ4Hlo5z9s root@oxool-lxc-test
Creating SSH host key 'ssh_host_dsa_key' - this may take some time ...
done: SHA256:JxIzMaRfoPj2eoiYAXaQOSFNdn0eICnCH1L9gV60Ws root@oxool-lxc-test
Creating SSH host key 'ssh_host_ed25519_key' - this may take some time ...
done: SHA256:s6y4Na/X9+m95rUW85OM5QFc8cNnDQthVcQitUEDlBU root@oxool-lxc-test
TASK OK
```

- `vim` (10 `vim`)`vim`

```

yum install vim openssh* net-tools unzip wget -y
cd /etc/yum.repos.d
wget --no-check-certificate http://www.oxoffice.com.tw/yum.repo/oxool-community.repo
yum update -y
yum groupinstall "OxOOL Community Group" -y

```

- `vim`

```

systemctl enable oxool
reboot

```

- `vim` OxOOL Community `vim`

```
netstat -tlnp
```

`vim`

```

Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State       PID/Program name
tcp        0      0 127.0.0.1:9981          0.0.0.0:*               LISTEN      1049/oxool
tcp6       0      0 :::9980                 :::*                    LISTEN      1049/oxool

```

`vim`

→`vim`

OxOOL `vim`

LXC `vim`

建立: LXC 容器



一般

範本

啟始磁碟

CPU

記憶體

網路

DNS

確認

節點: pve1

資源集區:

CT ID: 105

密碼:

主機名稱: oxool-lxc-test

確認密碼:

無特權容器:

SSH 公開金鑰:

載入 SSH 金鑰檔案

? 說明

進階

返回

繼續

建立: LXC 容器



- [一般](#)
[範本](#)
[啟動磁碟](#)
[CPU](#)
[記憶體](#)
[網路](#)
[DNS](#)
[確認](#)

Key ↑	Value
cores	2
hostname	oxool-lxc-test
memory	2048
nameserver	8.8.8.8
net0	bridge=vibr0,name=eth0,ip=192.168.3.211/32,gw=192.168.3.1,firewall=1
nodename	pve1
ostemplate	local:vztmpl/ubuntu-18.04-standard_18.04.1-1_amd64.tar.gz
pool	
rootfs	OSSIIPVE1:8
searchdomain	8.8.8.8
swap	2048
vmid	105

建立完成後開機

[進階](#)
[返回](#)
[完成](#)

Task viewer: CT 105 - 建立



[輸出](#) 狀態

[停止](#)

```

extracting archive '/var/lib/vz/template/cache/ubuntu-18.04-standard_18.04.1-1_amd64.tar.gz'
Total bytes read: 637347840 (608MiB, 65MiB/s)
Detected container architecture: amd64
Creating SSH host key 'ssh_host_ed25519_key' - this may take some time ...
done: SHA256:MLsz7ueUypNPXlmVklTIp4dyuqt6d8Dr1UX7/UpHRDk root@oxool-lxc-test
Creating SSH host key 'ssh_host_ecdsa_key' - this may take some time ...
done: SHA256:dT5WqOKTfwu1jv25t+XhbwtJ8xVnSTpk5I3TwGfexuo root@oxool-lxc-test
Creating SSH host key 'ssh_host_dsa_key' - this may take some time ...
done: SHA256:deoBi6GkKZco02laOyGs15uTFJ8CanNyvQd51WZXO2I root@oxool-lxc-test
Creating SSH host key 'ssh_host_rsa_key' - this may take some time ...
done: SHA256:VDbC9Eps/5X6nFooOt7pjYdA1Qs9Vv3jhU8KM7uWfNM root@oxool-lxc-test
TASK OK
    
```


? CentOS 7 ?????? OxOffice Online v4 ???

```
##### CentOS 7##### Minimal
##### OxOffice Online v4
##### root ##### sudo#
```

```
sudo yum upgrade -y
sudo yum install vim net-tools unzip wget -y
cd /etc/yum.repos.d
sudo wget http://www.oxoffice.com.tw/rpm/el/oxool-community-v4-centos7.repo
sudo yum upgrade -y
sudo yum groupinstall "OxOOL Community Group" -y
```

SELinux

```
sudo vim /etc/selinux/config # vim #####
# ## SELinux=enforcing ##### enforcing ## disabled # permissive #####
```

```
##### 9980 port
```

```
sudo firewall-cmd --zone=public --permanent --add-service=http
sudo firewall-cmd --zone=public --permanent --add-port=9980/tcp
sudo firewall-cmd --reload
```

```
##### OxOOL #####
```

```
sudo systemctl enable oxoolwsd
sudo reboot
```

netstat ## OxOOL

```
sudo netstat -tlnp
```

```
##### OxOOL #####
```

```
tcp6 0 0 :::9980## :::* #LISTEN 644/oxool
```



```
tcp6    0    0    :::9980[]    :::*    []LISTEN    644/oxool
```


