


OxOffice Online v4



■■■■■■■■■■ OxOffice Online Module SDK ■■ OxOffice Online ■■

- OxOOL v4 ■■■■■■_____
- OxOOL ■■■■■■_____

OxOOL v4



- `oxool-community` `oxool`
 - `autogen.sh` `configure`
`autogen.sh` `--enable-debug` `ModuleTesting`
 - `rpmbuild` `debuild` `oxool` `oxool-dev`
- `oxool-dev` `oxool-dev`
`oxool-module-maker`

oxool-module-maker



- `oxool-module-maker`
 - `--module-name=name` : `^[w\@#]+$`
0-9 # @ ' -
 - `--serviceURI=serviceURI` : `/`
"/oxool/user/" /oxool/user/add
/oxool/user/del /oxool/user/update /
 - `--version=version` : "0.0.1"
 - `--summary=summary` : Summary rpm
 - `--description=Description` : Description deb
 - `--author=author` : git user.name user.email
 - `--license=license` : MPLv2.0
 - `--adminPrivilege=true/false` : admin false
 - `--adminIcon=icon` : getbootstrap.com "bug-fill"
 - `--adminItem=text` :
 - `--template-path=path` :
/usr/share/oxool-
devel/module-template

OxOOL

OxOOL

OxOOL

oxool-module-maker oxool-dev

- ModuleConfiguration.md :
- module.xml.in : configure XML oxool-module-maker XML ModuleConfiguration.md autogen.sh configure
- module.spec.in : rpm spec
- debian/* : deb
- admin/* : module.xml.in <adminItem> oxool-module-maker --adminItem README.md
- src/* : C++ .so OxOOL
- html/* : C++ index.html
- test.sh : XML OxOOL OxOOL

OxOOL C++

oxool-module-maker src Module.cpp

- getVersion() :
- initialize() :
- handleRequest() : Client
- handleAdminRequest() :
- handleAdminMessage() : websocket