

# Ubuntu 18.04 安装 OxOOL

- 本文介绍在 Ubuntu 18.04 系统 (64位) 上安装 OxOOL 的方法
- 安装 OxOOL

```
sudo systemctl stop oxool  
sudo systemctl disable oxool
```

- 安装 git

```
sudo apt install git -y
```

- 克隆 OxOOL 仓库

```
git clone https://github.com/OSSII/oxool-community.git
```

- 进入 Ubuntu 18.04 安装目录

```
cd oxool-community  
./install_build_require_ubuntu.sh
```

- 安装 Node.js

```
curl -fsSL https://deb.nodesource.com/setup_16.x | sudo -E bash -  
sudo apt install -y nodejs
```

- 安装 OxOOL

进入 oxool-cummunity 安装目录

```
cd oxool-community  
./autogen.sh # 安装 fontconfig libfontconfig1-dev Poco libpoco-dev  
make -j2
```

[sudo] password for oxoffice:

make run

Ready to accept connections on port 9980.

- `OxOOL deb`

[illegible]

```
debuild -b -uc -us # [Progress Bar] oxool-community [Progress Bar] git clean -
fdx [Progress Bar]
```

oxool-community 

```
git clean -
```

fdx [ ][ ][ ][ ][ ][ ][ ][ ]

--	--	--	--	--

[illegible]

```
cd ..  
ls oxool_3.x.x-1.community_amd64.deb
```

ls oxool\_3.x.x-1.community\_amd64.deb

Revision #11

Created 19 May 2020 09:33:52 by kevin

Updated 14 December 2022 03:27:53 by Jeff Huang