

$$\begin{bmatrix} \square & \square & \square & \square & \square \end{bmatrix} \quad \left(\begin{bmatrix} \square & \square & \square \end{bmatrix} \right)$$

- 節點 'pve1' 上的儲存 'local'

-  CT

建立: LXC 容器



一般

範本

啟始磁碟

CPU

記憶體

網路

DNS

確認

節點: pve1

CT ID: 105

主機名稱: oxool-lxc-test

無特權容器: ☐

資源集區:

密碼:

確認密碼:

SSH 公開金鑰:

載入 SSH 金鑰檔案

? 說明

進階 ☒

返回

繼續

建立: LXC 容器



一般

範本

啟動磁碟

CPU

記憶體

網路

DNS

確認

Key ↑	Value
cores	2
hostname	oxool-lxc-test
memory	2048
nameserver	8.8.8.8
net0	bridge=vbr0,name=eth0,ip=192.168.3.211/32,gw=192.168.3.1,firewall=1
nodename	pve1
ostemplate	local:vztmpl/ubuntu-18.04-standard_18.04.1-1_amd64.tar.gz
pool	
rootfs	OSSIIPVE1:8
searchdomain	8.8.8.8
swap	2048
vmid	105

☐ 建立完成後開機進階 ☒

返回

完成

Task viewer: CT 105 - 建立



輸出

狀態

停止

```
extracting archive '/var/lib/vz/template/cache/ubuntu-18.04-standard_18.04.1-1_amd64.tar.gz'
Total bytes read: 637347840 (608MiB, 65MiB/s)
Detected container architecture: amd64
Creating SSH host key 'ssh_host_ed25519_key' - this may take some time ...
done: SHA256:MLsz7ueUypNPXlmVklTIp4dyuqt6d8Dr1UX7/UpHRDk root@oxool-lxc-test
Creating SSH host key 'ssh_host_ecdsa_key' - this may take some time ...
done: SHA256:dT5WqOKTfwu1jv25t+XhbwTJ8xVnSTpk5I3TwGfexuo root@oxool-lxc-test
Creating SSH host key 'ssh_host_dsa_key' - this may take some time ...
done: SHA256:deoBi6GkKZco02laOyGs15uTFJ8CanNyyQd51WZXO2I root@oxool-lxc-test
Creating SSH host key 'ssh_host_rsa_key' - this may take some time ...
done: SHA256:VDbC9Eps/5X6nFooOt7pjYdA1Qs9Vv3jhU8KM7uWfNM root@oxool-lxc-test
TASK OK
```

- 安裝 (約 20 分鐘) 安裝

```
apt update
apt upgrade -y
apt install vim openssh-server net-tools curl gnupg2 -y
# 安裝  yes

curl http://www.oxoffice.com.tw/apt/ubuntu/oxool-deb.key | apt-key add
echo "deb [arch=amd64] http://www.oxoffice.com.tw/apt/ubuntu/ oxool-v3 main" > ~/oxool.list
mv ~/oxool.list /etc/apt/sources.list.d/
apt update
apt install oxool oxoffice* -y
```

- 安裝

```
systemctl enable oxool
reboot
```

- 安裝 OxOOL Community 安裝

```
netstat -tlnp
```

安裝

Active Internet connections (only servers)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	127.0.0.1:9981	0.0.0.0:*	LISTEN	22383/oxool
tcp6	0	0	:::9980	:::*	LISTEN	22383/oxool

安裝

→ 安裝

OxOOL 安裝

LXC 安裝

Revision #7

Created 16 June 2020 07:28:59 by kevin

Updated 6 April 2021 03:41:08 by Jeff Huang