

□ PVE □ LXC □□ Rocky
Linux 8 □□□□ OxOffice
Online v4 □□□

[illegible][illegible]

rockylinux-8-default

範本

搜尋

類別	套件	版本	說明
<div> <div></div> Section: mail (2 Items) </div>			
lxc	proxmox-mailgateway-6.4-standard	6.4-1	Proxmox Mailgateway 6.4
lxc	proxmox-mailgateway-7.0-standard	7.0-1	Proxmox Mailgateway 7.0
<div> <div></div> Section: system (19 Items) </div>			
lxc	alpine-3.14-default	20210623	LXC default image for alpine 3.14 (20210623)
lxc	centos-8-stream-default	20220327	LXC default image for centos 8-stream (20220327)
lxc	fedora-34-default	20210427	LXC default image for fedora 34 (20210427)
lxc	debian-10-standard	10.7-1	Debian 10 Buster (standard)
lxc	archlinux-base	202104...	ArchLinux base image.
lxc	almalinux-8-default	20210928	LXC default image for almalinux 8 (20210928)
lxc	centos-8-default	20201210	LXC default image for centos 8 (20201210)
lxc	ubuntu-18.04-standard	18.04.1-1	Ubuntu Bionic (standard)
lxc	devuan-4.0-standard	4.0	Devuan 4.0 (standard)
lxc	alpine-3.13-default	20210419	LXC default image for alpine 3.13 (20210419)
lxc	rockylinux-8-default	20210929	LXC default image for rockylinux 8 (20210929)
lxc	opensuse-15.3-default	20210925	LXC default image for opensuse 15.3 (20210925)
lxc	gentoo-current-openrc	20220622	LXC openrc image for gentoo current (20220622)
lxc	centos-7-default	20190926	LXC default image for centos 7 (20190926)

下載

Rocky Linux 8 

 概觀	<input type="button" value="範本"/>	<input type="button" value="上傳"/>	<input type="button" value="移除"/>
 備份	名稱		
 ISO 映像	rockylinux-8-default_20210929_amd64.tar.xz		
 CT 範本			
 權限			

建立: LXC 容器

一般

範本

啟動磁碟

CPU

記憶體

網路

DNS

確認

Key ↑	Value
cores	2
hostname	oxoolonrockylinux8
memory	2048
net0	name=eth0,bridge=vbr0,firewall=1,ip6=dhcp,ip=dhcp
nodename	pvetest
ostemplate	local:vztmpl/rockylinux-8-default_20210929_amd64.tar.xz
pool	
rootfs	PVE3:8
swap	2048
unprivileged	1
vmid	127

☐ 建立完成後開機

進階 ☐

返回

完成

