

[illegible]

```
$ export VER="5.2.0"
```

```
$ cd /tmp
$ curl -o phpMyAdmin-${VER}-all-languages.tar.gz
https://files.phpmyadmin.net/phpMyAdmin/${VER}/phpMyAdmin-${VER}-all-languages.tar.gz
```

[https://files.phpmyadmin.net/phpMyAdmin/\\${VER}/phpMyAdmin-\\${VER}-all-languages.tar.gz](https://files.phpmyadmin.net/phpMyAdmin/${VER}/phpMyAdmin-${VER}-all-languages.tar.gz)

3 phpMyAdmin

```
$ tar zxvf phpMyAdmin-${VER}-all-languages.tar.gz
```

4

```
$ rm phpMyAdmin-*-languages.tar.gz
$ sudo mv phpMyAdmin-* /usr/share/phpMyAdmin
```

5 ☐ ☐ ☐ ☐ ☐ phpMyAdmin ☐ ☐ ☐

```
$ sudo mkdir -p /var/lib/phpmyadmin/tmp
$ sudo chown -R apache:apache /var/lib/phpmyadmin
```

6 ☐ phpMyAdmin ☐

```
$ sudo cp /usr/share/phpMyAdmin/config.sample.inc.php /usr/share/phpMyAdmin/config.inc.php
```

[illegible]

7

--	--	--	--	--	--	--	--

openssl 32

```
$ openssl rand -hex 16
```

vim

```
$ sudo vim /usr/share/phpMyAdmin/config.inc.php
```

```
$ sudo vim /etc/phpMyAdmin/config.inc.php
```

16 17
2 1
16 2 17

```
$cfg['blowfish_secret'] = '32';  
$cfg['TempDir'] = '/var/lib/phpmyadmin/tmp';
```

dnf

```
$cfg['blowfish_secret'] = '32';  
$cfg['TempDir'] = '/var/lib/phpMyAdmin/temp';
```

8 apache

vim apache phpMyAdmin (dnf)

```
$ sudo vim /etc/httpd/conf.d/phpMyAdmin.conf
```

()

```
# Apache configuration for phpMyAdmin  
Alias /phpMyAdmin /usr/share/phpMyAdmin/  
Alias /phpmyadmin /usr/share/phpMyAdmin/  
  
<Directory /usr/share/phpMyAdmin/>  
AddDefaultCharset UTF-8  
<IfModule mod_authz_core.c>  
# Apache 2.4  
Require all granted  
</IfModule>  
</Directory>  
<Directory /usr/share/phpMyAdmin/libraries/>  
Require all denied  
</Directory>  
<Directory /usr/share/phpMyAdmin/templates/>  
Require all denied  
</Directory>  
<Directory /usr/share/phpMyAdmin/setup/lib/>  
Require all denied  
</Directory>
```

```
<Directory /usr/share/phpMyAdmin/setup/frames/>
  Require all denied
</Directory>
```

```
<Directory /usr/share/phpMyAdmin/setup/frames/>
  Require all denied
</Directory>
```

```
<Directory /usr/share/phpMyAdmin/setup/frames/>
  Require all denied
</Directory>
```

[illegible]

```
$ sudo apachectl configtest
```

Syntax OK

```
$ sudo apachectl configtest
```

Syntax OK

☐ ☐ ☐ ☐ apache ☐ ☐ ☐ ☐ ☐

```
$ sudo systemctl restart httpd
```

9 SELinux

SELinux (enforcing) apache phpmyadmin

```
$ sudo semanage fcontext -a -t httpd_sys_content_t "/usr/share/phpmyadmin(/.*)?"
```

```
##### semanage ##### policycoreutils-python-utils #####
```

```
$ sudo yum install policycoreutils-python-utils -y
```

```
$ sudo firewall-cmd --add-service=http --permanent
```

```
$ sudo semanage fcontext -a -t httpd_sys_content_t "/usr/share/phpmyadmin(/.*)?"
```

```
##### semanage ##### policycoreutils-python-utils #####
```

```
$ sudo yum install policycoreutils-python-utils -y
```

```
$ sudo firewall-cmd --add-service=http --permanent
```

```
$ sudo semanage fcontext -a -t httpd_sys_content_t "/usr/share/phpmyadmin(/.*)?"
```

```
##### semanage ##### policycoreutils-python-utils #####
```

```
$ sudo yum install policycoreutils-python-utils -y
```

```
$ sudo firewall-cmd --add-service=http --permanent
```

```
$ sudo semanage fcontext -a -t httpd_sys_content_t "/usr/share/phpmyadmin(/.*)?"
```

```
##### semanage ##### policycoreutils-python-utils #####
```

```
$ sudo yum install policycoreutils-python-utils -y
```

```
$ sudo firewall-cmd --add-service=http --permanent
```

10 phpMyAdmin Web

□□□□□□ http://yourip/phpmyadmin□□□□□□



MariaDB Root



phpMyAdmin

apache

IP

sudo vim /etc/httpd/conf.d/phpmyadmin.conf

IP

<IfModule mod_authz_core.c>
Apache 2.4
Require ip 10.0.0.5 192.168.0.0/24
</IfModule>

apache

\$ sudo systemctl restart httpd

IP

Forbidden

You don't have permission to access this resource.