



# Apache



**1**



```
$ sudo apt -y install apache2 apache2-utils  
[sudo] password for ossii:
```



```
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libfwupdplugin1
Use 'sudo apt autoremove' to remove it.

The following additional packages will be installed:
  apache2-bin apache2-data libapr1 libaprutil1 libaprutil1-dbd-sqlite3
  libaprutil1-ldap libjansson4 liblua5.2-0 ssl-cert

Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom www-
browser openssl-blacklist

The following NEW packages will be installed:
  apache2 apache2-bin apache2-data apache2-utils libapr1 libaprutil1
  libaprutil1-dbd-sqlite3 libaprutil1-ldap libjansson4 liblua5.2-0 ssl-cert

0 upgraded, 11 newly installed, 0 to remove and 0 not upgraded.
Need to get 1,867 kB of archives.

After this operation, 8,095 kB of additional disk space will be used.

Get:1 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 libapr1 amd64
  1.6.5-1ubuntu1 [91.4 kB]
Get:2 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 libaprutil1 amd64
  1.6.1-4ubuntu2 [84.7 kB]
Get:3 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 libaprutil1-dbd-
  sqlite3 amd64 1.6.1-4ubuntu2 [10.5 kB]
Get:4 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 libaprutil1-ldap
  amd64 1.6.1-4ubuntu2 [8,736 B]
Get:5 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 libjansson4 amd64
  2.12-1build1 [28.9 kB]
```

```
Get:6 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 liblua5.2-0 amd64  
5.2.4-1.1build3 [106 kB]  
Get:7 http://tw.archive.ubuntu.com/ubuntu focal-updates/main amd64 apache2-  
bin amd64 2.4.41-4ubuntu3.12 [1,181 kB]  
Get:8 http://tw.archive.ubuntu.com/ubuntu focal-updates/main amd64 apache2-  
data all 2.4.41-4ubuntu3.12 [159 kB]  
Get:9 http://tw.archive.ubuntu.com/ubuntu focal-updates/main amd64 apache2-  
utils amd64 2.4.41-4ubuntu3.12 [84.5 kB]  
Get:10 http://tw.archive.ubuntu.com/ubuntu focal-updates/main amd64 apache2  
amd64 2.4.41-4ubuntu3.12 [95.6 kB]  
Get:11 http://tw.archive.ubuntu.com/ubuntu focal/main amd64 ssl-cert all 1.0.39  
[17.0 kB]  
Fetched 1,867 kB in 0s (9,618 kB/s)  
Preconfiguring packages ...  
Selecting previously unselected package libapr1:amd64.  
(Reading database ... 74596 files and directories currently installed.)  
Preparing to unpack .../00-libapr1_1.6.5-1ubuntu1_amd64.deb ...  
Unpacking libapr1:amd64 (1.6.5-1ubuntu1) ...  
Selecting previously unselected package libaprutil1:amd64.  
Preparing to unpack .../01-libaprutil1_1.6.1-4ubuntu2_amd64.deb ...  
Unpacking libaprutil1:amd64 (1.6.1-4ubuntu2) ...  
Selecting previously unselected package libaprutil1-dbd-sqlite3:amd64.  
Preparing to unpack .../02-libaprutil1-dbd-sqlite3_1.6.1-4ubuntu2_amd64.deb ...  
Unpacking libaprutil1-dbd-sqlite3:amd64 (1.6.1-4ubuntu2) ...  
Selecting previously unselected package libaprutil1-ldap:amd64.  
Preparing to unpack .../03-libaprutil1-ldap_1.6.1-4ubuntu2_amd64.deb ...  
Unpacking libaprutil1-ldap:amd64 (1.6.1-4ubuntu2) ...  
Selecting previously unselected package libjansson4:amd64.  
Preparing to unpack .../04-libjansson4_2.12-1build1_amd64.deb ...  
Unpacking libjansson4:amd64 (2.12-1build1) ...  
Selecting previously unselected package liblua5.2-0:amd64.  
Preparing to unpack .../05-liblua5.2-0_5.2.4-1.1build3_amd64.deb ...  
Unpacking liblua5.2-0:amd64 (5.2.4-1.1build3) ...  
Selecting previously unselected package apache2-bin.  
Preparing to unpack .../06-apache2-bin_2.4.41-4ubuntu3.12_amd64.deb ...  
Unpacking apache2-bin (2.4.41-4ubuntu3.12) ...  
Selecting previously unselected package apache2-data.  
Preparing to unpack .../07-apache2-data_2.4.41-4ubuntu3.12_all.deb ...  
Unpacking apache2-data (2.4.41-4ubuntu3.12) ...  
Selecting previously unselected package apache2-utils.  
Preparing to unpack .../08-apache2-utils_2.4.41-4ubuntu3.12_amd64.deb ...  
Unpacking apache2-utils (2.4.41-4ubuntu3.12) ...  
Selecting previously unselected package apache2.  
Preparing to unpack .../09-apache2_2.4.41-4ubuntu3.12_amd64.deb ...
```

```
Unpacking apache2 (2.4.41-4ubuntu3.12) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../10-ssl-cert_1.0.39_all.deb ...
Unpacking ssl-cert (1.0.39) ...
Setting up libapr1:amd64 (1.6.5-1ubuntu1) ...
Setting up libjansson4:amd64 (2.12-1build1) ...
Setting up ssl-cert (1.0.39) ...
Setting up liblua5.2-0:amd64 (5.2.4-1.1build3) ...
Setting up apache2-data (2.4.41-4ubuntu3.12) ...
Setting up libaprutil1:amd64 (1.6.1-4ubuntu2) ...
Setting up libaprutil1-ldap:amd64 (1.6.1-4ubuntu2) ...
Setting up libaprutil1-dbd-sqlite3:amd64 (1.6.1-4ubuntu2) ...
Setting up apache2-utils (2.4.41-4ubuntu3.12) ...
Setting up apache2-bin (2.4.41-4ubuntu3.12) ...
Setting up apache2 (2.4.41-4ubuntu3.12) ...
```

**Enabling module mpm\_event.**

**Enabling module authz\_core.**

**Enabling module authz\_host.**

**Enabling module authn\_core.**

**Enabling module auth\_basic.**

**Enabling module access\_compat.**

**Enabling module authn\_file.**

**Enabling module authz\_user.**

**Enabling module alias.**

**Enabling module dir.**

**Enabling module autoindex.**

**Enabling module env.**

**Enabling module mime.**

**Enabling module negotiation.**

**Enabling module setenvif.**

**Enabling module filter.**

**Enabling module deflate.**

**Enabling module status.**

**Enabling module reqtimeout.**

**Enabling conf charset.**

**Enabling conf localized-error-pages.**

**Enabling conf other-vhosts-access-log.**

**Enabling conf security.**

**Enabling conf serve-cgi-bin.**

**Enabling site 000-default.**

```
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service →
/lib/systemd/system/apache2.service.
```

```
Created symlink /etc/systemd/system/multi-user.target.wants/apache-
htcacheload.service → /lib/systemd/system/apache-htcacheload.service.
```

```
Processing triggers for ufw (0.36-6ubuntu1) ...
Processing triggers for systemd (245.4-4ubuntu3.17) ...
Processing triggers for man-db (2.9.1-1) ...
Processing triggers for libc-bin (2.31-0ubuntu9.9) ...
```

## 2 RedHat / CentOS

```
RedHat / CentOS apahce RedHat / CentOS
RedHat / CentOS httpd Ubuntu Server
RedHat / CentOS a2emod apache
RedHat / CentOS
RedHat / CentOS
```

## 3

```
netstat ( 80 port 443 )
```

```
$ netstat -tlnp
(Not all processes could be identified, non-owned process info
will not be shown, you would have to be root to see it all.)
```

Active Internet connections (only servers)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	127.0.0.53:53	0.0.0.0:*	LISTEN	-
tcp	0	0	0.0.0.0:22	0.0.0.0:*	LISTEN	-
tcp	0	0	127.0.0.1:6010	0.0.0.0:*	LISTEN	-
tcp6	0	0	:::80	:::*	LISTEN	-
tcp6	0	0	:::22	:::*	LISTEN	-
tcp6	0	0	::1:6010	:::*	LISTEN	-

```
systemctl
```

```
$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; enabled; vendor preset: enabled)
   Active: active (running) since Wed 2022-07-27 09:56:39 CST; 6min ago
     Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 7307 (apache2)
      Tasks: 55 (limit: 2273)
     Memory: 5.2M
        CGroup: /system.slice/apache2.service
                ├─7307 /usr/sbin/apache2 -k start
```

```
|--7308 /usr/sbin/apache2 -k start  
└--7309 /usr/sbin/apache2 -k start
```

```
Jul 27 09:56:39 ubuntu-test-server2 systemd[1]: Starting The Apache HTTP Server...  
Jul 27 09:56:39 ubuntu-test-server2 apachectl[7291]: AH00558: apache2: Could not reliably determine the  
server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppr>  
Jul 27 09:56:39 ubuntu-test-server2 systemd[1]: Started The Apache HTTP Server.  
lines 1-15/15 (END)
```

( 80 port )

Apache2 Ubuntu Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

### Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/  
|-- apache2.conf  
|   '-- ports.conf  
|-- mods-enabled  
|   '-- *.Load  
|   '-- *.conf
```

## 4 SSL

Ubuntu Server apache ( 80 port )

SSL ( 80 port )

Ubuntu Server ( 443 port )

Apache SSL

apache ssl ( 443 port )

restart apache2 ( 443 port )


```
$ sudo a2enmod ssl
Considering dependency setenvif for ssl:
Module setenvif already enabled
Considering dependency mime for ssl:
Module mime already enabled
Considering dependency socache_shmcb for ssl:
Enabling module socache_shmcb.
Enabling module ssl.
See /usr/share/doc/apache2/README.Debian.gz on how to configure SSL and create self-signed certificates.
To activate the new configuration, you need to run:
  systemctl restart apache2
$ sudo systemctl restart apache2
```

网卡 netstat 网络连接 443 port 端口

```
$ netstat -tlnp
(Not all processes could be identified, non-owned process info
will not be shown, you would have to be root to see it all.)
Active Internet connections (only servers)

Proto Recv-Q Send-Q Local Address          Foreign Address        State      PID/Program name
tcp      0      0 127.0.0.53:53            0.0.0.0:*              LISTEN     -
tcp      0      0 0.0.0.0:22              0.0.0.0:*              LISTEN     -
tcp      0      0 127.0.0.1:6010           0.0.0.0:*              LISTEN     -
tcp6     0      0 :::80                  :::*                  LISTEN     -
tcp6     0      0 :::22                  :::*                  LISTEN     -
tcp6     0      0 ::1:6010                :::*                  LISTEN     -
tcp6     0      0 ::443                 :::*                  LISTEN     -
```

网络连接



5 SSL

SSL

```
$ sudo a2ensite default-ssl.conf
Enabling site default-ssl.

To activate the new configuration, you need to run:
  systemctl reload apache2
$ sudo systemctl restart apache2
```

SSL apache over SSL

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

### Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/  
|-- apache2.conf  
|   '-- ports.conf  
|-- mods-enabled  
|   '-- *.Load  
|   '-- *.conf
```

□□□□□ SSL □ (□□□□□ )  
□□□□□□□□□□□□□□□□□□□□  
encrypt□

6 □□□□

- □□□□

/etc/apache2/apache2.conf

- SSL □□□

/etc/apache2/sites-available/default-ssl.conf

□□□□□ apache server □□□□□□□

Revision #3

Created 27 July 2022 01:47:10 by kevin

Updated 27 July 2022 03:20:34 by kevin